



LSA 4 DA D 8



Technische Daten Specifications

Beschreibung Description	Mit zeitsparender LSA Anschluss-technik Time-saving connection terminals with LSA insulation displacement technology
Platine PCB	20 Schneid-Klemm-Anschlüsse 20 insulation displacement terminals
Deckelkontakt Tamper switch	Schließer single-pole NO contact
Gehäuse Housing	LD 8 Leerdose aP LD 8 empty box for surface mounting
Maße Gehäuse Housing dimensions	60 x 45 x 25 mm
Kunststoffmaterial Material	S-B oder A-B-S S-B or A-B-S
Schutzart Protection category	VdS-Umweltklasse II VdS-Environmental Class II
Zulassungen Approvals	G 193 075, VdS-Klasse C G 193 075, VdS-Class C


LSA 4 DA D 10



Technische Daten Specifications

Beschreibung Description	Mit zeitsparender LSA Anschluss-technik Time-saving connection terminals with LSA insulation displacement technology
Platine PCB	P LSA 4 DA D 10, 20 Schneid-Klemm-Anschlüsse P LSA 4 DA D 10, 20 insulation displacement terminals
Deckelkontakt Tamper switch	Schließer single-pole NO contact
Gehäuse Housing	LD 10 Leerdose aP LD 10 empty box for surface mounting
Maße Gehäuse Housing dimensions	85 x 85 x 26 mm
Kunststoffmaterial Material	S-B oder A-B-S S-B or A-B-S
Schutzart Protection category	VdS-Umweltklasse II VdS-Environmental Class II
Zulassungen Approvals	G 187 002, VdS-Klasse C G 187 002, VdS-Class C

LSA 8 DA D 10



Technische Daten Specifications

Beschreibung Description	Mit zeitsparender LSA Anschluss-technik Time-saving connection terminals with LSA insulation displacement technology
Platine PCB	P LSA 8 DA D 10, 36 Schneid-Klemm-Anschlüsse P LSA 8 DA D 10, 36 insulation displacement terminals
Deckelkontakt Tamper switch	Schließer single-pole NO contact
Gehäuse Housing	LD 10 Leerdose aP LD 10 empty box for surface mounting
Maße Gehäuse Housing dimensions	85 x 85 x 26 mm
Kunststoffmaterial Material	S-B oder A-B-S S-B or A-B-S
Schutzart Protection category	VdS-Umweltklasse II VdS-Environmental Class II
Zulassungen Approvals	G 187 002, VdS-Klasse C G 187 002, VdS-Class C